

BOTTLED WATER QUALITY REPORT

Aqua Blox & Literz

Manufacturer's Name: Ready America, Inc.

Address: 1399 Specialty Drive, Vista, CA 92081

Telephone Number: 1-800-959-4053

Source(s): Municipal Water

Treatment Process: Carbon filtration, purified by reverse osmosis, ultra violet light, and ultra high temperature pasteurization

DEFINITIONS:

- **Statement of quality:** The quality standards of bottled water provide the maximum legal limits for a variety of substances that are allowed in bottled water, along with their monitoring requirements. The substances include microbiological contaminants, pesticides, inorganic contaminants, organic contaminants, radiological contaminants, and others. The standards have been established by the United States Food and Drug Administration (FDA), based on the public drinking water standards of the United States Environmental Protection Agency (USEPA). CDPH adopts the FDA regulations pertinent to the quality standards of bottled water.
- **Maximum contaminant level (MCL):** MCL is the maximum level of a contaminant allowed in public drinking water.
- **Primary drinking water standards (PDWS):** PDWS are set to provide the maximum feasible protection to public health. The goal of setting PDWS is to identify MCLs, along with their monitoring and reporting requirements, which prevent adverse health effects. PDWS are established as close to the public health goal (PHG) or the maximum contaminant level goal (MCLG) as is economically and technologically feasible.
- **Public health goal (PHG):** PHG is the level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

SOURCE WATER:

The sources of bottled water include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water naturally travels over the surface of the land or through the ground, it can pick up naturally occurring substances as well as substances that are present due to animal and human activity. Substances that may be present in the source water include any of the following:

- (1) Inorganic substances, including, but not limited to, salts and metals, that can be naturally occurring or result from farming, urban storm water runoff, industrial or domestic wastewater discharges, or oil and gas production.
- (2) Pesticides and herbicides that may come from a variety of sources, including, but not limited to, agriculture, urban storm water runoff, and residential uses.
- (3) Organic substances that are byproducts of industrial processes and petroleum production and can also come from gas stations, urban storm water runoff, agricultural application, and septic systems.
- (4) Microbial organisms that may come from wildlife, agricultural livestock operations, sewage treatment plants, and septic systems.
- (5) Substances with radioactive properties that can be naturally occurring or be the result of oil and gas production and mining activities."


CONTAMINANTS IN WATER:

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the United States Food and Drug Administration, Food and Cosmetic Hotline (1-888-723-3366). In order to ensure that bottled water is safe to drink, the United States Food and Drug Administration and the State Department of Public Health prescribe laws and regulations that limit the amount of certain contaminants in water provided by bottled water companies.

Some persons may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons, including, but not limited to, persons with cancer who are undergoing chemotherapy, persons who have undergone organ transplants, persons with HIV/AIDS or other immune system disorders, some elderly persons, and infants can be particularly at risk from infections. These persons should seek advice about drinking water from their health care providers. The United States Environmental Protection Agency and the Centers for Disease Control and Prevention guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

INFORMATION on PRODUCT RECALLS:

If you would like to know whether a particular bottled water product has been recalled or is being recalled, please visit the FDA's website <http://www.fda.gov/opacom/7alerts.html>.

The logo for AQUA BLOX is displayed on a light blue rectangular background with a pink border. The word "AQUA" is written in large, white, stylized capital letters with a pink outline. Below it, the word "BLOX" is written in smaller, white, stylized capital letters, also with a pink outline. A registered trademark symbol (®) is located to the right of the word "BLOX".

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)

Client: Ready America Inc.
1399 Specialty Drive
Vista, CA 92081

Report Date: 06/20/2022
Date Received: 04/14/2022
Sample No: 202204180040

Attention: Angelica Alvarez

Sample Id: 31 MAY 2027 09:15 84 1L
Date Sampled: 4/18/2022

Investigation: Analysis per Title 21, Federal Code of Regulations 165.110 - California Limits

ANALYTICAL RESULTS

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
Other Compounds					
		Milligrams per Liter			
11-chloroeicosafuoro-3-oxaundecane-sulfonic	EPA 537.1	0.0000020	1	ND	no std
4,8-dioxa-3H-perfluorononanoic acid (ADONA)	EPA 537.1	0.0000020	1	ND	no std
9-chlorohexadecafluoro-3-oxanone-sulfonic ac	EPA 537.1	0.0000020	1	ND	no std
Hexafluoropropylene oxide dimer acid (HFPO-d	EPA 537.1	0.0000020	1	ND	no std
N-ethyl Perfluorooctanesulfonamidoacetic acid	EPA 537.1	0.0000020	1	ND	no std
N-methyl Perfluorooctanesulfonamidoacetic ac	EPA 537.1	0.0000020	1	ND	no std
Perfluorobutanesulfonic acid (PFBS)	EPA 537.1	0.0000020	1	ND	no std
Perfluorodecanoic acid (PFDA)	EPA 537.1	0.0000020	1	ND	no std
Perfluorododecanoic acid (PFDoA)	EPA 537.1	0.0000020	1	ND	no std
Perfluoroheptanoic acid (PFHpA)	EPA 537.1	0.0000020	1	ND	no std
Perfluorohexanesulfonic acid (PFHxS)	EPA 537.1	0.0000020	1	ND	no std
Perfluorohexanoic acid (PFHxA)	EPA 537.1	0.0000020	1	ND	no std
Perfluorononanoic acid (PFNA)	EPA 537.1	0.0000020	1	ND	no std
Perfluorooctanesulfonic acid (PFOS)	EPA 537.1	0.0000020	1	ND	no std
Perfluorooctanoic acid (PFOA)	EPA 537.1	0.0000020	1	ND	no std
Perfluorotetradecanoic acid (PFTA)	EPA 537.1	0.0000020	1	ND	no std
Perfluorotridecanoic acid (PFTTrDA)	EPA 537.1	0.0000020	1	ND	no std
Perfluoroundecanoic acid (PFUnA)	EPA 537.1	0.0000020	1	ND	no std
GROUP I					
PHYSICAL					
Apparent Color (ACU)	SM 2120B	3.0	1	ND ACU	15
Odor at 60 C (TON)	SM 2150B	1.0	1	2.0 TON	3
pH (Units)	4500HB/E 150	0.10	1	7.9	8.5
Specific Conductance (uS/cm)	SM2510B	2.0	1	89	no std
Total Dissolved Solid (TDS)	SM 2540C	10	1	45	500
Turbidity (NTU)	EPA 180.1	0.10	1	ND NTU	5

SOQ=Standard of Quality per FDA or California

ND=Not detected at the specified limit

All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)

Laboratory FDA_CA

Report: 999687

Report Date: 06/20/2022
Date Received: 04/14/2022
Sample No: 202204180040

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
GROUP II					
CHEMICAL SUBSTANCE 1					
Milligrams per Liter					
Alkalinity in CaCO3 units	SM 2320B	2.0	1	14	no std
Aluminum	EPA 200.8	0.020	1	ND	0.2
Antimony	EPA 200.8	0.0010	1	ND	0.006
Arsenic	EPA 200.8	0.0010	1	ND	0.010
Asbestos by TEM - >10 microns (MFL)	EPA 100.2	0.20	1	ND	no std
Barium	EPA 200.8	0.0020	1	ND	2
Beryllium	EPA 200.8	0.0010	1	ND	0.004
Bicarb Alkalinity as HCO3	SM2330B	2.0	1	18	no std
Cadmium	EPA 200.8	0.00050	1	ND	0.005
Calcium	EPA 200.7	1.0	1	2.6	no std
Carbonate as CO3	SM2330B	2.0	1	ND	no std
Chloride	EPA 300.0	0.50	1	16	250
Chromium	EPA 200.8	0.0010	1	ND	0.1
Copper	EPA 200.8	0.0020	1	ND	1.0
Corrosivity (units)	SM 2330B	-14	1	-1.8	no std
Cyanide	SM 4500CN-F	0.025	1	ND	0.1
Fluoride	SM 4500F-C	0.050	1	0.23	1.4
Hydroxide as OH	SM2330B	2.0	1	ND	no std
Iron	EPA 200.7	0.010	1	ND	0.3
Lead	EPA 200.8	0.00050	1	ND	0.005
Magnesium	EPA 200.7	0.10	1	0.74	no std
Manganese	EPA 200.8	0.0020	1	ND	0.05
Mercury	EPA 200.8	0.00020	1	ND	0.002
Nickel	EPA 200.8	0.0050	1	ND	0.1
Nitrate-N	EPA 300.0	0.050	1	ND	10
Nitrite-N	EPA 300.0	0.050	1	ND	1
Perchlorate	EPA 331.0	0.0020	1	ND	no std
Phenol	EPA 420.4	0.0010	1	ND	0.001
Potassium	EPA 200.7	1.0	1	ND	no std
Selenium	EPA 200.8	0.0050	1	ND	0.05
Silver	EPA 200.8	0.00050	1	ND	0.1
Sodium	EPA 200.7	1.0	1	14	no std
Sulfate	EPA 300.0	0.50	1	0.67	250
Surfactants (MBAS)	SM 5540C	0.10	1	ND	no std
Thallium	EPA 200.8	0.0010	1	ND	0.002
Total Hardness as CaCO3	EPA 200.7	3.0	1	9.5	no std

SOQ=Standard of Quality per FDA or California

ND=Not detected at the specified limit

All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA_CA
 Report: 999687

Report Date: 06/20/2022
 Date Received: 04/14/2022
 Sample No: 202204180040

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
Total PCBs	EPA 505	0.00010	1	ND	0.0005
Toxaphene	EPA 505	0.00050	1	ND	0.003
GROUP V					
RADIOACTIVITY		Picocuries per Liter			
Radium 226	Ra-226 GA	1.0	1	ND	5
Radium 228	Ra-228 GA	1.0	1	ND	5
Uranium (mg/L)	EPA 200.8	0.0010	1	ND	0.03
Uranium by ICPMS as pCi/L	EPA 200.8	0.70	1	ND	20
GROUP VIa					
BACTERIOLOGICAL		Colonies/100 mL			
E Coli Bacteria	SM 9223	1.0	1	<1	1
Total Coliform Bacteria	SM 9223	1.0	1	<1	2.2
GROUP VIb					
BACTERIOLOGICAL-HPC		Colony Forming Units per mL			
Heterotrophic Plate Count	SM 9215B	1.0	1	<1	no std
GROUP VII					
Disinfection Byproducts		Milligrams per Liter			
Bromate	EPA 317	0.0010	1	ND	0.01
Bromide	EPA 300.0	0.0050	1	0.024	no std
Chlorite	EPA 300.0	0.010	1	ND	1
D/DBP Haloacetic Acids (HAA5)	SM 6251B	0.0020	1	0.0078	0.06
GROUP VIII					
Residual Disinfectants		Milligrams per Liter			
Chloramines	SM 4500CL-G/HACH	0.10	1	1.1	4
Chlorine Dioxide	SM 4500CLO2-D/HACH	0.24	1	ND	0.8
Total Chlorine Residual	SM 4500CL-G/HACH	0.10	1	1.2	4

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)

Laboratory FDA_CA

Report: 999687

Report Date: 06/20/2022
Date Received: 04/14/2022
Sample No: 202204180040

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
Aldrin	EPA 505	0.000010	1	ND	no std
Atrazine	EPA 525.2	0.000050	1	ND	0.003
Baygon	EPA 531.2	0.00050	1	ND	no std
Bentazon	EPA 515.4	0.00050	1	ND	no std
Benzo(a)pyrene	EPA 525.2	0.000020	1	ND	0.0002
Butachlor	EPA 525.2	0.000050	1	ND	no std
Carbaryl	EPA 531.2	0.00050	1	ND	no std
Carbofuran	EPA 531.2	0.00050	1	ND	0.04
Chlordane	EPA 505	0.00010	1	ND	0.002
Dalapon	EPA 515.4	0.0010	1	ND	0.2
Di-(2-Ethylhexyl)adipate	EPA 525.2	0.00060	1	ND	0.4
Di(2-Ethylhexyl)phthalate	EPA 525.2	0.00060	1	ND	0.006
Dibromochloropropane (DBCP)	EPA 504.1	0.000010	1	ND	0.0002
Dicamba	EPA 515.4	0.00010	1	ND	no std
Dieldrin	EPA 505	0.000010	1	ND	no std
Dinoseb	EPA 515.4	0.00020	1	ND	0.007
Diquat	EPA 549.2	0.00040	1	ND	0.02
Endothall	EPA 548.1	0.0050	1	ND	0.1
Endrin	EPA 505	0.000010	1	ND	0.002
Ethylene Dibromide (EDB)	EPA 504.1	0.000010	1	ND	0.00005
Glyphosate	EPA 547	0.0060	1	ND	0.7
Heptachlor	EPA 505	0.000010	1	ND	0.0004
Heptachlor Epoxide	EPA 505	0.000010	1	ND	0.0002
Hexachlorobenzene	EPA 525.2	0.000050	1	ND	0.001
Hexachlorocyclopentadiene	EPA 525.2	0.000050	1	ND	0.05
Lindane (gamma-BHC)	EPA 505	0.000010	1	ND	0.0002
Methiocarb	EPA 531.2	0.00050	1	ND	no std
Methomyl	EPA 531.2	0.00050	1	ND	no std
Methoxychlor	EPA 505	0.000050	1	ND	0.04
Metolachlor	EPA 525.2	0.000050	1	ND	no std
Metribuzin	EPA 525.2	0.000050	1	ND	no std
Oxamyl (Vydate)	EPA 531.2	0.00050	1	ND	0.2
Paraquat	EPA 549.2	0.0020	1	ND	no std
Pentachlorophenol	EPA 515.4	0.000040	1	ND	0.001
Picloram	EPA 515.4	0.00010	1	ND	0.5
Propachlor	EPA 525.2	0.000050	1	ND	no std
Simazine	EPA 525.2	0.000050	1	ND	0.004
Thiobencarb	EPA 525.2	0.00020	1	ND	no std

SOQ=Standard of Quality per FDA or California

ND=Not detected at the specified limit

All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)

Laboratory FDA_CA
Report: 999687

Report Date: 06/20/2022
Date Received: 04/14/2022
Sample No: 202204180040

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
Fluorotrichloromethane-Freon11	EPA 524.2	0.00050	1	ND	no std
Hexachlorobutadiene	EPA 524.2	0.00025	1	ND	no std
Isopropylbenzene	EPA 524.2	0.00025	1	ND	no std
m,p-Xylenes	EPA 524.2	0.00050	1	ND	no std
m-Dichlorobenzene (1,3-DCB)	EPA 524.2	0.00050	1	ND	no std
MTBE	EPA 524.2	0.00050	1	ND	no std
n-Butylbenzene	EPA 524.2	0.00050	1	ND	no std
n-Propylbenzene	EPA 524.2	0.00050	1	ND	no std
o-Chlorotoluene	EPA 524.2	0.00050	1	ND	no std
o-Dichlorobenzene (1,2-DCB)	EPA 524.2	0.00050	1	ND	0.6
o-Xylene	EPA 524.2	0.00050	1	ND	no std
p-Chlorotoluene	EPA 524.2	0.00050	1	ND	no std
p-Dichlorobenzene (1,4-DCB)	EPA 524.2	0.00050	1	ND	0.075
p-Isopropyltoluene	EPA 524.2	0.00050	1	ND	no std
sec-Butylbenzene	EPA 524.2	0.00050	1	ND	no std
Styrene	EPA 524.2	0.00050	1	ND	0.1
tert-Butylbenzene	EPA 524.2	0.00050	1	ND	no std
Tetrachloroethylene (PCE)	EPA 524.2	0.00050	1	ND	0.005
Toluene	EPA 524.2	0.00050	1	ND	1
Total 1,3-Dichloropropene	EPA 524.2	0.00050	1	ND	no std
Total THM	EPA 524.2	0.00050	1	0.0071	0.010
Total xylenes	EPA 524.2	0.00050	1	ND	10
trans-1,2-Dichloroethylene	EPA 524.2	0.00050	1	ND	0.1
trans-1,3-Dichloropropene	EPA 524.2	0.00050	1	ND	no std
Trichloroethylene (TCE)	EPA 524.2	0.00050	1	ND	0.005
Trichlorotrifluoroethane(F113)	EPA 524.2	0.00050	1	ND	no std
Vinyl chloride (VC)	EPA 524.2	0.00020	1	ND	0.002
GROUP IV					
CHEMICAL SUBSTANCE 3 (NON VOC)		Milligrams per Liter			
1,2,3-Trichloropropane (TCP)	EPA 504.1	0.000020	1	ND	no std
2,3,7,8-TCDD (ug/L)	EPA 1613B	0.0000000054	1	ND	0.00000003
2,4,5-TP (Silvex)	EPA 515.4	0.00020	1	ND	0.05
2,4-D	EPA 515.4	0.00010	1	ND	0.07
3-Hydroxycarbofuran	EPA 531.2	0.00050	1	ND	no std
Alachlor (Alanex)	EPA 505	0.00010	1	ND	0.002
Aldicarb (Temik)	EPA 531.2	0.00050	1	ND	no std
Aldicarb sulfone	EPA 531.2	0.00050	1	ND	no std
Aldicarb sulfoxide	EPA 531.2	0.00050	1	ND	no std

SOQ=Standard of Quality per FDA or California

ND=Not detected at the specified limit

All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA_CA

Report: 999687

Report Date: 06/20/2022
 Date Received: 04/14/2022
 Sample No: 202204180040

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
Total Nitrate + Nitrite	EPA 300.0	0.050	1	ND	10
Zinc	EPA 200.8	0.020	1	ND	5.0
GROUP III					
CHEMICAL SUBSTANCE 2 (VOC)		Milligrams per Liter			
1,1,1,2-Tetrachloroethane	EPA 524.2	0.00050	1	ND	no std
1,1,1-Trichloroethane	EPA 524.2	0.00050	1	ND	0.20
1,1,2,2-Tetrachloroethane	EPA 524.2	0.00050	1	ND	no std
1,1,2-Trichloroethane	EPA 524.2	0.00050	1	ND	0.005
1,1-Dichloroethane	EPA 524.2	0.00050	1	ND	no std
1,1-Dichloroethene	EPA 524.2	0.00050	1	ND	0.007
1,1-Dichloropropene	EPA 524.2	0.00050	1	ND	no std
1,2,3-Trichlorobenzene	EPA 524.2	0.00050	1	ND	no std
1,2,3-Trichloropropane	EPA 524.2	0.00050	1	ND	no std
1,2,4-Trichlorobenzene	EPA 524.2	0.00050	1	ND	0.07
1,2,4-Trimethylbenzene	EPA 524.2	0.00050	1	ND	no std
1,2-Dichloroethane	EPA 524.2	0.00050	1	ND	0.005
1,2-Dichloropropane	EPA 524.2	0.00025	1	ND	0.005
1,3,5-Trimethylbenzene	EPA 524.2	0.00050	1	ND	no std
1,3-Dichloropropane	EPA 524.2	0.00050	1	ND	no std
2,2-Dichloropropane	EPA 524.2	0.00050	1	ND	no std
Benzene	EPA 524.2	0.00050	1	ND	0.005
Bromobenzene	EPA 524.2	0.00050	1	ND	no std
Bromochloromethane	EPA 524.2	0.00050	1	ND	no std
Bromodichloromethane	EPA 524.2	0.00050	1	0.00090	no std
Bromoform	EPA 524.2	0.00050	1	ND	no std
Bromomethane	EPA 524.2	0.00050	1	ND	no std
Carbon Tetrachloride	EPA 524.2	0.00050	1	ND	0.005
Chlorobenzene	EPA 524.2	0.00050	1	ND	0.1
Chlorodibromomethane	EPA 524.2	0.00050	1	ND	no std
Chloroethane	EPA 524.2	0.00050	1	ND	no std
Chloroform (Trichloromethane)	EPA 524.2	0.00050	1	0.0062	no std
Chloromethane	EPA 524.2	0.00050	1	ND	no std
cis-1,2-Dichloroethylene	EPA 524.2	0.00050	1	ND	0.07
cis-1,3-Dichloropropene	EPA 524.2	0.00050	1	ND	no std
Dibromomethane	EPA 524.2	0.00050	1	ND	no std
Dichlorodifluoromethane	EPA 524.2	0.00050	1	ND	no std
Dichloromethane(MeCl ₂)	EPA 524.2	0.00050	1	ND	0.005
Ethyl benzene	EPA 524.2	0.00050	1	ND	0.7

SOQ=Standard of Quality per FDA or California

ND=Not detected at the specified limit

All results reported in milligrams per liter unless otherwise noted