

INFORME SOBRE AGUA EMBOTELLADA 2025

Aqua Blox & Literz

Nombre del embotellador: Ready America, Inc.

Dirección: 1399 Specialty Drive, CA, Vista 92081

Número de teléfono: 1-800-959-4053

Fuente(s): Agua Municipal

Proceso de tratamiento: Filtración de carbón, purificación usando ósmosis inversa, luz ultravioleta y pasteurización a alta temperatura

DEFINICIONES:

- **Declaración de calidad:** Los estándares de calidad del agua embotellada establecen los límites legales máximos de diversas sustancias permitidas en el agua embotellada y los requisitos para su seguimiento. Las sustancias incluyen contaminantes microbianos, pesticidas, contaminantes inorgánicos, contaminantes orgánicos, contaminantes radiológicos, y otros. Los estándares han sido establecidos por la Administración de Alimentos y Medicamentos (FDA, Food and Drug Administration) de Estados Unidos, en base a los estándares para el agua potable pública de la Agencia de Protección del Medio Ambiente de Estados Unidos (USEPA, United States Environmental Protection Agency). El CDPH adopta las normas de la FDA pertinentes a los estándares de calidad del agua embotellada.
- **Nivel máximo de contaminante (MCL, Maximum contaminant level):** El MCL es el nivel máximo de un contaminante permitido en el agua potable pública.
- **Principales estándares del agua potable (PDWS, Primary drinking water standards):** Los PDWS se establecieron para ofrecer la máxima protección posible a la salud pública. El objetivo de establecer PDWS es fijar los MCL y los requisitos para su seguimiento e informes destinados a prevenir efectos adversos sobre la salud. Los PDWS se han establecido para cumplir de la mejor manera posible la meta de salud pública (PHG, public health goal) o la meta del nivel máximo de contaminante (MCLG, maximum contaminant level goal) siempre que sea económica y tecnológicamente factible.
- **Meta de salud pública (PHG):** La PHG es el nivel de un contaminante en el agua potable por debajo del cual se sabe o se supone que no constituye riesgo para la salud. Las PHG están establecidas por la Agencia de Protección del Medio Ambiente de California SOURCE WATER

FUENTE DE AGUA:

Las fuentes del agua embotellada incluyen ríos, lagos, arroyos, estanques, represas, manantiales y pozos. Como el agua viaja naturalmente sobre la superficie de la tierra o a través de los terrenos, puede recoger de ellas sustancias que se hallan presentes naturalmente y sustancias presentes a causa de la actividad animal y humana. Las sustancias que pueden estar presentes en el agua de fuente incluyen algunas de las siguientes:

1. Sustancias inorgánicas como sales y metales, que pueden estar presentes naturalmente o ser producto de la agricultura, de desagües pluviales urbanos, del desagüe de aguas residuales industriales o domésticas o de la producción de gas y petróleo.
2. Pesticidas y herbicidas que pueden provenir de diversas fuentes, como la agricultura, los desagües pluviales urbanos y los usos residenciales.
3. Sustancias orgánicas derivadas de procesos industriales y de la producción de petróleo, y que también pueden provenir de estaciones de gasolina, desagües pluviales urbanos, usos agrícolas y sistemas sépticos.
4. Microorganismos que pueden proceder de la vida salvaje, de las actividades agrícolas y ganaderas, de las plantas de tratamiento de aguas residuales y de los sistemas sépticos.
5. Sustancias con propiedades radiactivas que pueden aparecer naturalmente o ser resultado de la producción de petróleo y gas y de actividades mineras".


CONTAMINANTES DEL AGUA:

Razonablemente se puede esperar que el agua potable e incluso el agua embotellada contengan al menos pequeñas cantidades de algunos contaminantes. La presencia de contaminantes no indica, necesariamente, que el agua constituya un riesgo para la salud. Se puede obtener más información sobre los contaminantes y los posibles efectos sobre la salud llamando a la línea directa de alimentos y cosméticos de la Administración de Alimentos y Medicamentos de Estados Unidos (1-888-723-3366). Con el fin de asegurar que el agua embotellada es segura para beber, la Administración de Alimentos y Medicamentos y el Departamento Estatal de Salud Pública de Estados Unidos promulgan leyes y regulaciones que limitan la cantidad de ciertos contaminantes en el agua que proporcionan las compañías elaboradoras de agua embotellada.

Algunas personas pueden ser más vulnerables a los contaminantes presentes en el agua potable que la población general. Personas inmunocomprometidas como, las que tienen cáncer y son tratadas con quimioterapia, las que han recibido trasplantes de órganos, aquellas con VIH/SIDA u otros trastornos del sistema inmunitario, algunas personas ancianas y los lactantes pueden estar particularmente en riesgo de contraer infecciones. Estas personas deben buscar asesoramiento de los proveedores de atención médica acerca del agua potable. Las directrices de la Agencia de Protección del Medio Ambiente y de los Centros para el Control y la Prevención de Enfermedades de Estados Unidos sobre los medios adecuados para reducir el riesgo de infección por cryptosporidium y otros contaminantes microbianos se encuentran disponibles en la línea directa de Agua Potable Segura (1-800-426-4791).

INFORMACIÓN SOBRE PRODUCTOS RETIRADOS DEL MERCADO:

Si desea saber si una marca de agua embotellada en particular ha sido retirada o está siendo retirada del mercado, consulte el sitio web de la FDA <http://www.fda.gov/opacom/7alerts.html>





ANALYTICAL REPORT

PREPARED FOR

Ready America
1399 Specialty Drive
Vista, California 92081

Generated 5/9/2025 9:25:38 AM

JOB DESCRIPTION

Aquablox Lot 10500
Annual - Title 21 + 50 State

JOB NUMBER

380-145976-1

Client Sample Results

Client: Ready America
Project/Site: Aquablox Lot 10500

Job ID: 380-145976-1
SDG: Annual - Title 21 + 50 State

Client Sample ID: Aquablox Lot 10500 Best Before 08/2030 (5 Year Shelf Life) 4/14/25 8:55am 1L

Lab Sample ID: 380-145976-1

Date Collected: 04/15/25 08:55

Matrix: Bottled Water

Date Received: 04/15/25 10:28

Method: EPA-DW 524.2 - Total Trihalomethanes

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Trihalomethanes, Total	8.0		0.50		ug/L			04/19/25 04:26	1

Method: EPA-DW 524.2 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	<0.50		0.50		ug/L			04/19/25 04:26	1
1,1,1-Trichloroethane	<0.50		0.50		ug/L			04/19/25 04:26	1
1,1,2,2-Tetrachloroethane	<0.50		0.50		ug/L			04/19/25 04:26	1
1,1,2-Trichloroethane	<0.50		0.50		ug/L			04/19/25 04:26	1
1,1-Dichloroethylene	<0.50		0.50		ug/L			04/19/25 04:26	1
1,1-Dichloroethane	<0.50		0.50		ug/L			04/19/25 04:26	1
1,1-Dichloropropene	<0.50		0.50		ug/L			04/19/25 04:26	1
1,2,3-Trichlorobenzene	<0.50		0.50		ug/L			04/19/25 04:26	1
1,2,3-Trichloropropane	<0.50		0.50		ug/L			04/19/25 04:26	1
1,2,4-Trichlorobenzene	<0.50		0.50		ug/L			04/19/25 04:26	1
1,2,4-Trimethylbenzene	<0.50		0.50		ug/L			04/19/25 04:26	1
1,2-Dichloroethane	<0.50		0.50		ug/L			04/19/25 04:26	1
1,2-Dichloropropane	<0.50		0.50		ug/L			04/19/25 04:26	1
1,3,5-Trimethylbenzene	<0.50		0.50		ug/L			04/19/25 04:26	1
1,3-Dichloropropane	<0.50		0.50		ug/L			04/19/25 04:26	1
2,2-Dichloropropane	<0.50		0.50		ug/L			04/19/25 04:26	1
2-Butanone (MEK)	<5.0		5.0		ug/L			04/19/25 04:26	1
Benzene	<0.50		0.50		ug/L			04/19/25 04:26	1
Bromobenzene	<0.50		0.50		ug/L			04/19/25 04:26	1
Bromochloromethane	<0.50		0.50		ug/L			04/19/25 04:26	1
Bromodichloromethane	1.4		0.50		ug/L			04/19/25 04:26	1
Bromoethane	<0.50		0.50		ug/L			04/19/25 04:26	1
Bromoform	<0.50		0.50		ug/L			04/19/25 04:26	1
Bromomethane (Methyl Bromide)	<0.50		0.50		ug/L			04/19/25 04:26	1
Carbon disulfide	<0.50		0.50		ug/L			04/19/25 04:26	1
Carbon tetrachloride	<0.50		0.50		ug/L			04/19/25 04:26	1
Chlorobenzene	<0.50		0.50		ug/L			04/19/25 04:26	1
Chloroethane	<0.50		0.50		ug/L			04/19/25 04:26	1
Chloroform (Trichloromethane)	6.0		0.50		ug/L			04/19/25 04:26	1
Chloromethane (methyl chloride)	<0.50		0.50		ug/L			04/19/25 04:26	1
cis-1,2-Dichloroethylene	<0.50		0.50		ug/L			04/19/25 04:26	1
cis-1,3-Dichloropropene	<0.50		0.50		ug/L			04/19/25 04:26	1
Dibromochloromethane	0.63		0.50		ug/L			04/19/25 04:26	1
Dibromomethane	<0.50		0.50		ug/L			04/19/25 04:26	1
Dichlorodifluoromethane	<0.50	^3+	0.50		ug/L			04/19/25 04:26	1
Dichloromethane	<0.50		0.50		ug/L			04/19/25 04:26	1
Diisopropyl ether	<3.0		3.0		ug/L			04/19/25 04:26	1
Ethylbenzene	<0.50		0.50		ug/L			04/19/25 04:26	1
Hexachlorobutadiene	<0.50		0.50		ug/L			04/19/25 04:26	1
Isopropylbenzene	<0.50		0.50		ug/L			04/19/25 04:26	1
m,p-Xylenes	<0.50		0.50		ug/L			04/19/25 04:26	1
m-Dichlorobenzene (1,3-DCB)	<0.50		0.50		ug/L			04/19/25 04:26	1
Methyl-tert-butyl Ether (MTBE)	<0.50		0.50		ug/L			04/19/25 04:26	1
Naphthalene	<0.50		0.50		ug/L			04/19/25 04:26	1

Eurofins Eaton Analytical Pomona

5/9/2025

Client Sample Results

Client: Ready America
Project/Site: Aquablox Lot 10500

Job ID: 380-145976-1
SDG: Annual - Title 21 + 50 State

Client Sample ID: Aquablox Lot 10500 Best Before 08/2030 (5 Year Shelf Life) 4/14/25 8:55am 1L

Lab Sample ID: 380-145976-1

Date Collected: 04/15/25 08:55

Matrix: Bottled Water

Date Received: 04/15/25 10:28

Method: EPA-DW 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
n-Butylbenzene	<0.50		0.50		ug/L			04/19/25 04:26	1
N-Propylbenzene	<0.50		0.50		ug/L			04/19/25 04:26	1
o-Chlorotoluene	<0.50		0.50		ug/L			04/19/25 04:26	1
o-Dichlorobenzene (1,2-DCB)	<0.50		0.50		ug/L			04/19/25 04:26	1
o-Xylene	<0.50		0.50		ug/L			04/19/25 04:26	1
p-Chlorotoluene	<0.50		0.50		ug/L			04/19/25 04:26	1
p-Dichlorobenzene (1,4-DCB)	<0.50		0.50		ug/L			04/19/25 04:26	1
p-Isopropyltoluene	<0.50		0.50		ug/L			04/19/25 04:26	1
sec-Butylbenzene	<0.50		0.50		ug/L			04/19/25 04:26	1
Styrene	<0.50		0.50		ug/L			04/19/25 04:26	1
Tert-amyl methyl ether	<3.0		3.0		ug/L			04/19/25 04:26	1
Tert-butyl ethyl ether	<3.0		3.0		ug/L			04/19/25 04:26	1
tert-Butylbenzene	<0.50		0.50		ug/L			04/19/25 04:26	1
Tetrachloroethene (PCE)	<0.50		0.50		ug/L			04/19/25 04:26	1
Toluene	<0.50		0.50		ug/L			04/19/25 04:26	1
trans-1,2-Dichloroethylene	<0.50		0.50		ug/L			04/19/25 04:26	1
trans-1,3-Dichloropropene	<0.50		0.50		ug/L			04/19/25 04:26	1
Trichloroethylene (TCE)	<0.50		0.50		ug/L			04/19/25 04:26	1
Trichlorofluoromethane (Freon 11)	<0.50		0.50		ug/L			04/19/25 04:26	1
Trichlorotrifluoroethane	<0.50		0.50		ug/L			04/19/25 04:26	1
Vinyl Chloride (VC)	<0.30	^3+	0.30		ug/L			04/19/25 04:26	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		70 - 130					04/19/25 04:26	1
4-Bromofluorobenzene (Surr)	101		70 - 130					04/19/25 04:26	1
Toluene-d8 (Surr)	102		70 - 130					04/19/25 04:26	1

Method: EPA 522 - 1,4 Dioxane (GC/MS SIM)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	<0.069		0.069		ug/L		04/17/25 11:08	04/17/25 16:26	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,4-Dioxane-d8 (Surr)	90		70 - 130				04/17/25 11:08	04/17/25 16:26	1

Method: EPA 525.2 - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2,4'-DDD	<0.098		0.098		ug/L		04/21/25 13:30	04/22/25 23:22	1
2,4'-DDE	<0.098		0.098		ug/L		04/21/25 13:30	04/22/25 23:22	1
2,4'-DDT	<0.098		0.098		ug/L		04/21/25 13:30	04/22/25 23:22	1
2,4-Dinitrotoluene	<0.098		0.098		ug/L		04/21/25 13:30	04/22/25 23:22	1
2,6-Dinitrotoluene	<0.098		0.098		ug/L		04/21/25 13:30	04/22/25 23:22	1
4,4'-DDD	<0.098		0.098		ug/L		04/21/25 13:30	04/22/25 23:22	1
4,4'-DDE	<0.098		0.098		ug/L		04/21/25 13:30	04/22/25 23:22	1
4,4'-DDT	<0.098		0.098		ug/L		04/21/25 13:30	04/22/25 23:22	1
Acenaphthene	<0.098		0.098		ug/L		04/21/25 13:30	04/22/25 23:22	1
Acenaphthylene	<0.098		0.098		ug/L		04/21/25 13:30	04/22/25 23:22	1
Acetochlor	<0.098		0.098		ug/L		04/21/25 13:30	04/22/25 23:22	1
Alachlor (Alanex)	<0.049		0.049		ug/L		04/21/25 13:30	04/22/25 23:22	1
Aldrin	<0.0098		0.0098		ug/L		04/21/25 13:30	04/22/25 23:22	1

Eurofins Eaton Analytical Pomona

5/9/2025

Client Sample Results

Client: Ready America
Project/Site: Aquablox Lot 10500

Job ID: 380-145976-1
SDG: Annual - Title 21 + 50 State

Client Sample ID: Aquablox Lot 10500 Best Before 08/2030 (5
Year Shelf Life) 4/14/25 8:55am 1L

Lab Sample ID: 380-145976-1

Date Collected: 04/15/25 08:55

Matrix: Bottled Water

Date Received: 04/15/25 10:28

Method: EPA 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
alpha-BHC	<0.098		0.098		ug/L		04/21/25 13:30	04/22/25 23:22	1
alpha-Chlordane	<0.049		0.049		ug/L		04/21/25 13:30	04/22/25 23:22	1
Anthracene	<0.020		0.020		ug/L		04/21/25 13:30	04/22/25 23:22	1
Atrazine	<0.049		0.049		ug/L		04/21/25 13:30	04/22/25 23:22	1
Benz(a)anthracene	<0.049		0.049		ug/L		04/21/25 13:30	04/22/25 23:22	1
Benzo[a]pyrene	<0.020		0.020		ug/L		04/21/25 13:30	04/22/25 23:22	1
Benzo[b]fluoranthene	<0.020		0.020		ug/L		04/21/25 13:30	04/22/25 23:22	1
Benzo[g,h,i]perylene	<0.049		0.049		ug/L		04/21/25 13:30	04/22/25 23:22	1
Benzo[k]fluoranthene	<0.020		0.020		ug/L		04/21/25 13:30	04/22/25 23:22	1
beta-BHC	<0.098		0.098		ug/L		04/21/25 13:30	04/22/25 23:22	1
Bis(2-ethylhexyl) phthalate	<0.59		0.59		ug/L		04/21/25 13:30	04/22/25 23:22	1
Bromacil	<0.098		0.098		ug/L		04/21/25 13:30	04/22/25 23:22	1
Butachlor	<0.049		0.049		ug/L		04/21/25 13:30	04/22/25 23:22	1
Butylbenzylphthalate	<0.49		0.49		ug/L		04/21/25 13:30	04/22/25 23:22	1
Caffeine	<0.049		0.049		ug/L		04/21/25 13:30	04/22/25 23:22	1
Chlorobenzilate	<0.098		0.098		ug/L		04/21/25 13:30	04/22/25 23:22	1
Chloroneb	<0.098		0.098		ug/L		04/21/25 13:30	04/22/25 23:22	1
Chlorothalonil (Draconil, Bravo)	<0.098		0.098		ug/L		04/21/25 13:30	04/22/25 23:22	1
Chlorpyrifos	<0.049		0.049		ug/L		04/21/25 13:30	04/22/25 23:22	1
Chrysene	<0.020		0.020		ug/L		04/21/25 13:30	04/22/25 23:22	1
delta-BHC	<0.098		0.098		ug/L		04/21/25 13:30	04/22/25 23:22	1
Di(2-ethylhexyl)adipate	<0.59		0.59		ug/L		04/21/25 13:30	04/22/25 23:22	1
Diazinon (Qualitative)	<0.098		0.098		ug/L		04/21/25 13:30	04/22/25 23:22	1
Dibenz(a,h)anthracene	<0.049		0.049		ug/L		04/21/25 13:30	04/22/25 23:22	1
Diclorvos (DDVP)	<0.049		0.049		ug/L		04/21/25 13:30	04/22/25 23:22	1
Dieldrin	<0.0098		0.0098		ug/L		04/21/25 13:30	04/22/25 23:22	1
Diethylphthalate	<0.49		0.49		ug/L		04/21/25 13:30	04/22/25 23:22	1
Dimethoate	<0.098		0.098		ug/L		04/21/25 13:30	04/22/25 23:22	1
Dimethylphthalate	<0.49		0.49		ug/L		04/21/25 13:30	04/22/25 23:22	1
Di-n-butyl phthalate	<0.98		0.98		ug/L		04/21/25 13:30	04/22/25 23:22	1
Di-n-octyl phthalate	<0.098		0.098		ug/L		04/21/25 13:30	04/22/25 23:22	1
Endosulfan I (Alpha)	<0.098		0.098		ug/L		04/21/25 13:30	04/22/25 23:22	1
Endosulfan II (Beta)	<0.098		0.098		ug/L		04/21/25 13:30	04/22/25 23:22	1
Endosulfan sulfate	<0.098		0.098		ug/L		04/21/25 13:30	04/22/25 23:22	1
Endrin	<0.0098		0.0098		ug/L		04/21/25 13:30	04/22/25 23:22	1
Endrin aldehyde	<0.098		0.098		ug/L		04/21/25 13:30	04/22/25 23:22	1
EPTC	<0.098		0.098		ug/L		04/21/25 13:30	04/22/25 23:22	1
Fluoranthene	<0.098		0.098		ug/L		04/21/25 13:30	04/22/25 23:22	1
Fluorene	<0.049		0.049		ug/L		04/21/25 13:30	04/22/25 23:22	1
gamma-Chlordane	<0.049		0.049		ug/L		04/21/25 13:30	04/22/25 23:22	1
Heptachlor	<0.0098		0.0098		ug/L		04/21/25 13:30	04/22/25 23:22	1
Heptachlor epoxide (isomer B)	<0.0098		0.0098		ug/L		04/21/25 13:30	04/22/25 23:22	1
Hexachlorobenzene	<0.049		0.049		ug/L		04/21/25 13:30	04/22/25 23:22	1
Hexachlorocyclopentadiene	<0.049		0.049		ug/L		04/21/25 13:30	04/22/25 23:22	1
Indeno[1,2,3-cd]pyrene	<0.049		0.049		ug/L		04/21/25 13:30	04/22/25 23:22	1
Isophorone	<0.098		0.098		ug/L		04/21/25 13:30	04/22/25 23:22	1
Lindane	<0.0098		0.0098		ug/L		04/21/25 13:30	04/22/25 23:22	1
Malathion	<0.098		0.098		ug/L		04/21/25 13:30	04/22/25 23:22	1

Eurofins Eaton Analytical Pomona

5/9/2025

Client Sample Results

Client: Ready America
Project/Site: Aquablox Lot 10500

Job ID: 380-145976-1
SDG: Annual - Title 21 + 50 State

Client Sample ID: Aquablox Lot 10500 Best Before 08/2030 (5 Year Shelf Life) 4/14/25 8:55am 1L

Lab Sample ID: 380-145976-1

Date Collected: 04/15/25 08:55

Matrix: Bottled Water

Date Received: 04/15/25 10:28

Method: EPA 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methoxychlor	<0.049		0.049		ug/L		04/21/25 13:30	04/22/25 23:22	1
Metolachlor	<0.049		0.049		ug/L		04/21/25 13:30	04/22/25 23:22	1
Metribuzin	<0.049		0.049		ug/L		04/21/25 13:30	04/22/25 23:22	1
Molinate	<0.098		0.098		ug/L		04/21/25 13:30	04/22/25 23:22	1
Naphthalene	<0.098		0.098		ug/L		04/21/25 13:30	04/22/25 23:22	1
Parathion	<0.098		0.098		ug/L		04/21/25 13:30	04/22/25 23:22	1
Pendimethalin (Penoxaline)	<0.098		0.098		ug/L		04/21/25 13:30	04/22/25 23:22	1
Phenanthrene	<0.039		0.039		ug/L		04/21/25 13:30	04/22/25 23:22	1
Propachlor	<0.049		0.049		ug/L		04/21/25 13:30	04/22/25 23:22	1
Pyrene	<0.049		0.049		ug/L		04/21/25 13:30	04/22/25 23:22	1
Simazine	<0.049		0.049		ug/L		04/21/25 13:30	04/22/25 23:22	1
Terbacil	<0.098		0.098		ug/L		04/21/25 13:30	04/22/25 23:22	1
Terbutylazine	<0.098		0.098		ug/L		04/21/25 13:30	04/22/25 23:22	1
Thiobencarb	<0.098		0.098		ug/L		04/21/25 13:30	04/22/25 23:22	1
Total Permethrin (mixed isomers)	<0.20		0.20		ug/L		04/21/25 13:30	04/22/25 23:22	1
trans-Nonachlor	<0.049		0.049		ug/L		04/21/25 13:30	04/22/25 23:22	1
Trifluralin	<0.098		0.098		ug/L		04/21/25 13:30	04/22/25 23:22	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Nitro-m-xylene	102		70 - 130	04/21/25 13:30	04/22/25 23:22	1
Perylene-d12	90		70 - 130	04/21/25 13:30	04/22/25 23:22	1
Triphenylphosphate	98		70 - 130	04/21/25 13:30	04/22/25 23:22	1

Method: EPA 548.1 - Endothall (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Endothall	<5.0		5.0		ug/L		04/20/25 14:45	04/22/25 09:22	1

Method: EPA-DW2 504.1 - EDB, DBCP and 1,2,3-TCP (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2,3-Trichloropropane	<0.020		0.020		ug/L		04/17/25 12:00	04/17/25 18:48	1
1,2-Dibromo-3-Chloropropane	<0.010		0.010		ug/L		04/17/25 12:00	04/17/25 18:48	1
1,2-Dibromoethane	<0.010		0.010		ug/L		04/17/25 12:00	04/17/25 18:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dibromopropane (Surr)	92		60 - 140	04/17/25 12:00	04/17/25 18:48	1

Method: EPA 505 - Organochlorine Pesticides/PCBs (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chlordane	<0.099		0.099		ug/L		04/17/25 13:55	04/18/25 12:06	1
PCB-1016	<0.069		0.069		ug/L		04/17/25 13:55	04/18/25 12:06	1
PCB-1221	<0.099		0.099		ug/L		04/17/25 13:55	04/18/25 12:06	1
PCB-1232	<0.099		0.099		ug/L		04/17/25 13:55	04/18/25 12:06	1
PCB-1242	<0.099		0.099		ug/L		04/17/25 13:55	04/18/25 12:06	1
PCB-1248	<0.099		0.099		ug/L		04/17/25 13:55	04/18/25 12:06	1
PCB-1254	<0.099		0.099		ug/L		04/17/25 13:55	04/18/25 12:06	1
PCB-1260	<0.069		0.069		ug/L		04/17/25 13:55	04/18/25 12:06	1
Polychlorinated biphenyls, Total	<0.099		0.099		ug/L		04/17/25 13:55	04/18/25 12:06	1
Toxaphene	<0.50		0.50		ug/L		04/17/25 13:55	04/18/25 12:06	1

Eurofins Eaton Analytical Pomona

5/9/2025

Client Sample Results

Client: Ready America
Project/Site: Aquablox Lot 10500

Job ID: 380-145976-1
SDG: Annual - Title 21 + 50 State

Client Sample ID: Aquablox Lot 10500 Best Before 08/2030 (5 Year Shelf Life) 4/14/25 8:55am 1L

Lab Sample ID: 380-145976-1

Date Collected: 04/15/25 08:55

Matrix: Bottled Water

Date Received: 04/15/25 10:28

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	97		70 - 130	04/17/25 13:55	04/18/25 12:06	1
Tetrachloro-m-xylene	98		70 - 130	04/17/25 13:55	04/18/25 12:06	1

Method: EPA-DW 515.4 - Herbicides (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2,4,5-T	<0.20		0.20		ug/L		04/21/25 09:00	04/22/25 20:57	1
2,4,5-TP (Silvex)	<0.10		0.10		ug/L		04/21/25 09:00	04/22/25 20:57	1
2,4-D	<0.10		0.10		ug/L		04/21/25 09:00	04/22/25 20:57	1
2,4-DB	<2.0		2.0		ug/L		04/21/25 09:00	04/22/25 20:57	1
3,5-Dichlorobenzoic acid	<0.50		0.50		ug/L		04/21/25 09:00	04/22/25 20:57	1
Acifluorfen	<0.20		0.20		ug/L		04/21/25 09:00	04/22/25 20:57	1
Bentazon	<0.50		0.50		ug/L		04/21/25 09:00	04/22/25 20:57	1
Dalapon	<1.0		1.0		ug/L		04/21/25 09:00	04/22/25 20:57	1
Dicamba	<0.10		0.10		ug/L		04/21/25 09:00	04/22/25 20:57	1
Dichlorprop	<0.50		0.50		ug/L		04/21/25 09:00	04/22/25 20:57	1
Dinoseb	<0.20		0.20		ug/L		04/21/25 09:00	04/22/25 20:57	1
Pentachlorophenol	<0.040		0.040		ug/L		04/21/25 09:00	04/22/25 20:57	1
Picloram	<0.10		0.10		ug/L		04/21/25 09:00	04/22/25 20:57	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4-Dichlorophenylacetic acid (Surr)	113		70 - 130	04/21/25 09:00	04/22/25 20:57	1
2,4-Dichlorophenylacetic acid (Surr)	101		70 - 130	04/21/25 09:00	04/22/25 20:57	1

Method: SM 6251B - Haloacetic Acids (HAAs) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Bromochloroacetic acid	<1.0		1.0		ug/L		04/19/25 08:30	04/19/25 15:57	1
Dibromoacetic acid	<1.0		1.0		ug/L		04/19/25 08:30	04/19/25 15:57	1
Dichloroacetic acid	4.5		1.0		ug/L		04/19/25 08:30	04/19/25 15:57	1
Monobromoacetic acid	<1.0		1.0		ug/L		04/19/25 08:30	04/19/25 15:57	1
Monochloroacetic acid	<2.0		2.0		ug/L		04/19/25 08:30	04/19/25 15:57	1
Trichloroacetic acid	<1.0		1.0		ug/L		04/19/25 08:30	04/19/25 15:57	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,3-Dibromopropionic acid	94		70 - 130	04/19/25 08:30	04/19/25 15:57	1

Method: SM 6251B - Total Haloacetic Acids (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Haloacetic Acids 5	4.5		2.0		ug/L			04/19/25 15:57	1

Method: EPA 218.7 - Chromium, Hexavalent (Ion Chromatography)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Hexavalent Chromium (CrVI)	0.022		0.020		ug/L		04/23/25 09:55	04/23/25 15:56	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	8.5		0.50		mg/L			04/16/25 20:06	1
Chlorite	<10		10		ug/L			04/16/25 20:11	1
Nitrate as N	<0.050		0.050		mg/L			04/16/25 20:06	1
Bromide	13		5.0		ug/L			04/16/25 20:11	1
Nitrite as N	<0.050		0.050		mg/L			04/16/25 20:06	1

Eurofins Eaton Analytical Pomona

5/9/2025

Client Sample Results

Client: Ready America
Project/Site: Aquablox Lot 10500

Job ID: 380-145976-1
SDG: Annual - Title 21 + 50 State

Client Sample ID: Aquablox Lot 10500 Best Before 08/2030 (5 Year Shelf Life) 4/14/25 8:55am 1L

Lab Sample ID: 380-145976-1

Date Collected: 04/15/25 08:55

Matrix: Bottled Water

Date Received: 04/15/25 10:28

Method: EPA 300.0 - Anions, Ion Chromatography (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	0.91		0.25		mg/L			04/16/25 20:06	1

Method: EPA 300.0 - Nitrogen, Nitrate-Nitrite

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N	<0.050		0.050		mg/L			04/16/25 20:06	1

Method: EPA 317 - Bromate, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Bromate	<1.0		1.0		ug/L			04/17/25 23:09	1

Method: EPA 531.2 - Carbamate Pesticides (HPLC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
3-Hydroxycarbofuran	<0.50		0.50		ug/L			04/18/25 03:56	1
Aldicarb	<0.50		0.50		ug/L			04/18/25 03:56	1
Aldicarb sulfone	<0.50		0.50		ug/L			04/18/25 03:56	1
Aldicarb sulfoxide	<0.50		0.50		ug/L			04/18/25 03:56	1
Baygon	<0.50		0.50		ug/L			04/18/25 03:56	1
Carbaryl	<0.50		0.50		ug/L			04/18/25 03:56	1
Carbofuran	<0.50		0.50		ug/L			04/18/25 03:56	1
Methiocarb	<0.50		0.50		ug/L			04/18/25 03:56	1
Methomyl	<0.50		0.50		ug/L			04/18/25 03:56	1
Oxamyl	<0.50		0.50		ug/L			04/18/25 03:56	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
BDMC	113		70 - 130		04/18/25 03:56	1

Method: EPA 547 - Glyphosate (DAI HPLC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Glyphosate	<6.0		6.0		ug/L			04/18/25 20:30	1

Method: EPA 549.2 - Diquat and Paraquat (HPLC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diquat	<0.39		0.39		ug/L		04/17/25 11:32	04/18/25 20:31	1

Method: EPA 331.0 - Perchlorate (LC/MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perchlorate	<0.50		0.50		ug/L			04/17/25 15:34	1

Method: EPA 537.1 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
11-Chloroeicosafluoro-3-oxaundecan e-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.0		ng/L		04/19/25 13:13	04/20/25 14:19	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.0		ng/L		04/19/25 13:13	04/20/25 14:19	1
9-Chlorohexadecafluoro-3-oxanonan e-1-sulfonic acid(9Cl-PF3ONS)	<2.0		2.0		ng/L		04/19/25 13:13	04/20/25 14:19	1
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0		ng/L		04/19/25 13:13	04/20/25 14:19	1
N-ethylperfluorooctanesulfonamidoac etic acid (NEtFOSAA)	<2.0		2.0		ng/L		04/19/25 13:13	04/20/25 14:19	1
N-methylperfluorooctanesulfonamidoa cetic acid (NMeFOSAA)	<2.0		2.0		ng/L		04/19/25 13:13	04/20/25 14:19	1

Eurofins Eaton Analytical Pomona

5/9/2025

Client Sample Results

Client: Ready America
Project/Site: Aquablox Lot 10500

Job ID: 380-145976-1
SDG: Annual - Title 21 + 50 State

Client Sample ID: Aquablox Lot 10500 Best Before 08/2030 (5
Year Shelf Life) 4/14/25 8:55am 1L

Lab Sample ID: 380-145976-1

Date Collected: 04/15/25 08:55

Matrix: Bottled Water

Date Received: 04/15/25 10:28

Method: EPA 537.1 - Perfluorinated Alkyl Acids (LC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorobutanesulfonic acid (PFBS)	<2.0		2.0		ng/L		04/19/25 13:13	04/20/25 14:19	1
Perfluorodecanoic acid (PFDA)	<2.0		2.0		ng/L		04/19/25 13:13	04/20/25 14:19	1
Perfluorododecanoic acid (PFDoA)	<2.0		2.0		ng/L		04/19/25 13:13	04/20/25 14:19	1
Perfluoroheptanoic acid (PFHpA)	<2.0		2.0		ng/L		04/19/25 13:13	04/20/25 14:19	1
Perfluorohexanesulfonic acid (PFHxS)	<2.0		2.0		ng/L		04/19/25 13:13	04/20/25 14:19	1
Perfluorohexanoic acid (PFHxA)	<2.0		2.0		ng/L		04/19/25 13:13	04/20/25 14:19	1
Perfluorononanoic acid (PFNA)	<2.0		2.0		ng/L		04/19/25 13:13	04/20/25 14:19	1
Perfluorooctanesulfonic acid (PFOS)	<2.0		2.0		ng/L		04/19/25 13:13	04/20/25 14:19	1
Perfluorooctanoic acid (PFOA)	<2.0		2.0		ng/L		04/19/25 13:13	04/20/25 14:19	1
Perfluorotetradecanoic acid (PFTA)	<2.0		2.0		ng/L		04/19/25 13:13	04/20/25 14:19	1
Perfluorotridecanoic acid (PFTrDA)	<2.0		2.0		ng/L		04/19/25 13:13	04/20/25 14:19	1
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0		ng/L		04/19/25 13:13	04/20/25 14:19	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C2 PFDA	100		70 - 130	04/19/25 13:13	04/20/25 14:19	1
13C2 PFHxA	99		70 - 130	04/19/25 13:13	04/20/25 14:19	1
13C3-GenX	91		70 - 130	04/19/25 13:13	04/20/25 14:19	1
d5-NEtFOSAA	90		70 - 130	04/19/25 13:13	04/20/25 14:19	1

Method: EPA 1613B - Tetra Chlorinated Dioxin (GC/MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2,3,7,8-TCDD	<4.9		4.9		pg/L		04/18/25 09:20	04/21/25 14:01	1
Isotope Dilution	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C-2,3,7,8-TCDD	83		31 - 137				04/18/25 09:20	04/21/25 14:01	1

Method: EPA 200.7 - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	<0.050		0.050		mg/L			04/18/25 15:24	1
Calcium	2.8		0.10		mg/L			04/18/25 15:24	1
Iron	<0.010		0.010		mg/L			04/18/25 15:24	1
Magnesium	0.44		0.10		mg/L			04/18/25 15:24	1
Potassium	0.31		0.10		mg/L			04/18/25 15:24	1
Sodium	5.1		0.10		mg/L			04/18/25 15:24	1

Method: EPA 200.8 - Mercury (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Hg	<0.20		0.20		ug/L			04/21/25 14:31	1

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	<20		20		ug/L			04/21/25 14:31	1
Antimony	<1.0		1.0		ug/L			04/21/25 14:31	1
Arsenic	<1.0		1.0		ug/L			04/21/25 14:31	1
Barium	<2.0		2.0		ug/L			04/21/25 14:31	1
Beryllium	<0.30		0.30		ug/L			04/21/25 14:31	1
Cadmium	<0.50		0.50		ug/L			04/21/25 14:31	1
Chromium	<0.90		0.90		ug/L			04/21/25 14:31	1
Copper	<1.0		1.0		ug/L			04/21/25 14:31	1
Lead	<0.50		0.50		ug/L			04/21/25 14:31	1

Eurofins Eaton Analytical Pomona

5/9/2025

Client Sample Results

Client: Ready America
Project/Site: Aquablox Lot 10500

Job ID: 380-145976-1
SDG: Annual - Title 21 + 50 State

Client Sample ID: Aquablox Lot 10500 Best Before 08/2030 (5 Year Shelf Life) 4/14/25 8:55am 1L

Lab Sample ID: 380-145976-1

Date Collected: 04/15/25 08:55

Matrix: Bottled Water

Date Received: 04/15/25 10:28

Method: EPA 200.8 - Metals (ICP/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Manganese	<2.0		2.0		ug/L			04/21/25 14:31	1
Nickel	<1.0		1.0		ug/L			04/21/25 14:31	1
Selenium	<2.0		2.0		ug/L			04/21/25 14:31	1
Silver	<0.50		0.50		ug/L			04/21/25 14:31	1
Thallium	<0.30		0.30		ug/L			04/21/25 14:31	1
Uranium	<1.0		1.0		ug/L			04/21/25 14:31	1
Zinc	<5.0		5.0		ug/L			04/21/25 14:31	1
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Uranium	<0.67		0.67		pCi/L			04/21/25 14:31	1

Method: SM 2340B - Total Hardness (as CaCO3) by calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Hardness (as CaCO3)	8.9		2.9		mg/L			04/22/25 00:31	1
Calcium hardness as CaCO3	7.0		2.5		mg/L			04/22/25 00:31	1
Magnesium hardness as calcium carbonate	1.8		0.41		mg/L			04/22/25 00:31	1

General Chemistry

Analyte	Result	Qualifier	NONE	NONE	Unit	D	Prepared	Analyzed	Dil Fac
Langlier Index (SM 2330B)	-2.5				LangSU			04/19/25 14:13	1
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Turbidity (EPA 180.1)	0.15		0.10		NTU			04/16/25 15:24	1
Cyanide (EPA 335.4)	<0.0050		0.0050		mg/L		04/18/25 11:08	04/18/25 14:29	1
Phenols, Total (EPA 420.4)	<1.0		1.0		ug/L			04/17/25 15:25	1
Alkalinity as CaCO3 (SM 2320B)	9.4		4.0		mg/L			04/18/25 23:15	1
Bicarbonate Alkalinity as CaCO3 (SM 2320B)	12		4.0		mg/L			04/18/25 23:15	1
Carbonate Alkalinity as CaCO3 (SM 2320B)	<4.0		4.0		mg/L			04/18/25 23:15	1
Hydroxide Alkalinity as CaCO3 (SM 2320B)	<4.0		4.0		mg/L			04/18/25 23:15	1
Specific Conductance (SM 2510B)	46		2.0		umhos/cm			04/18/25 23:15	1
Total Dissolved Solids (SM 2540C)	34		10		mg/L			04/18/25 09:25	1
Chlorine, Total Residual (SM 4500 Cl G)	<0.050		0.050		mg/L			04/25/25 12:30	1
Chloramines, Total (SM 4500 Cl G)	<0.050		0.050		mg/L			04/25/25 12:30	1
Chlorine, free (SM 4500 Cl G)	<0.050		0.050		mg/L			04/25/25 12:30	1
Fluoride (SM 4500 F C)	0.081		0.050		mg/L			04/18/25 22:05	1
Methylene Blue Active Substances (SM 5540C)	<0.10		0.10		mg/L			04/18/25 10:25	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chlorine dioxide (SM 4500 ClO2 D)	<0.24		0.24		mg/L			04/25/25 12:30	1
Color, Apparent (SM 2120B)	<2.0		2.0		Color Units			04/16/25 13:07	1
Odor (SM 2150B)	<1.0		1.0		T.O.N.			04/16/25 13:39	1
pH (SM 4500 H+ B)	7.3	HF	0.01		SU			04/18/25 23:15	1

Client Sample Results

Client: Ready America
Project/Site: Aquablox Lot 10500

Job ID: 380-145976-1
SDG: Annual - Title 21 + 50 State

Client Sample ID: Aquablox Lot 10500 Best Before 08/2030 (5
Year Shelf Life) 4/14/25 8:55am 1L

Lab Sample ID: 380-145976-1

Date Collected: 04/15/25 08:55

Matrix: Bottled Water

Date Received: 04/15/25 10:28

Method: EPA 900.0 - Gross Alpha and Gross Beta Radioactivity

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Gross Alpha	0.0707	U	0.705	0.705	3.00	0.801	pCi/L	04/22/25 08:19	04/25/25 18:21	1
Gross Beta	0.420	U	0.532	0.534	4.00	0.530	pCi/L	04/22/25 08:19	04/25/25 18:21	1

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0481	U	0.0781	0.0782	1.00	0.0884	pCi/L	04/25/25 07:35	05/05/25 21:45	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	82.6		30 - 110					04/25/25 07:35	05/05/25 21:45	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.575		0.406	0.409	1.00	0.372	pCi/L	04/25/25 07:37	05/03/25 10:00	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	82.6		30 - 110					04/25/25 07:37	05/03/25 10:00	1
Y Carrier	81.1		30 - 110					04/25/25 07:37	05/03/25 10:00	1

Method: TAL-STL Ra226_Ra228 Pos - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.623		0.413	0.416	5.00	0.372	pCi/L		05/07/25 12:51	1

Method: SM7500_Rn_B - Radon

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radon 222	-4.53	U	5.90		50.0	7.37	pCi/L	04/16/25 18:58	04/17/25 08:14	1

Method: SM 9215B - Heterotrophic Plate Count

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Heterotrophic Plate Count	<1		1		CFU/mL			04/17/25 14:34	1

Method: SM 9223B - Coliforms, Total, and E.Coli (Colilert - Quanti Tray)

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Coliform, Total	<1.0		1.0		MPN/100mL			04/17/25 15:16	1
E. Coli	<1.0		1.0		MPN/100mL			04/17/25 15:16	1